BFC

Table of Contents

GATE OPERATORS & ACCESSORIES

GATE OPERATORS

EAGLE ..... **Page 2**
ELITE ..... **Page 3**
ELITE/LIFTMASTER ..... **Page 4**
BFT ..... **Pages 5-6**
GTO/PRO ..... **Pages 7-8**

GTO/PRO ACCESSORIES

GTO ACCESSORIES & MISC. PARTS ..... **Pages 9-10**

ACCESSORIES

TRANSMITTERS & RECEIVERS ..... **Page 11**
LOOP DETECTORS, REVERSING EDGES, PHOTO EYES & AUTOMATIC TIMER ..... **Page 12**
CHAINS, IDLER & GATE STOP ..... **Page 13**
TELEPHONE ENTRY SYSTEMS ..... **Pages 14-15**
DIGITAL KEY-INTERCOM SYSTEMS ..... **Page 16**
OUTSIDE STATION & CARD READERS ..... **Page 17**
FIRE & POSTAL LOCK BOXES ..... **Page 18**

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009	13111 DAHLIA ST. FONTANA, CA 92337-6902	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549	10010 PORTLAND AVE. TACOMA, WA 98445-3956
1-916-381-4065	1-909-350-9040	1-818-504-3700	1-619-449-0333	1-253-535-5500

SLIDE GATE OPERATORS

24 VOLT ACCESSORIES

EAGLE GATE OPERATORS
EASY OPERATION RELIABLE POWER



Model Item#	HP	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
EAGLE 1000 28947	1/2	800	22	30	Eagle 1000 — Residential Eagle 2000 — Commercial • Uses LED's to indicate all inputs & outputs • On board 24 VAC output can be used for two loop detectors, receivers etc... • Fail Safe - In case of a power outage the gate can be pushed open. • Does not require use of any tools • Terminals are mounted on the control box for easy installation • Heavy-duty 10 to 1 worm gear reduction	
EAGLE 2000 28950	1/2	1,000	45	60		
EAGLE 2000 28954	1	2,000	45	60		
EAGLE 2000 28955 Dual Motor	1/2	1,000	45	60		
EAGLE 2000-APT 28954-APT	1	2,000	50	60	**Note: 20 feet of chain provided with operator. For cost of additional chain see page 14.**	

SLIDE GATE OPERATORS

24 VOLT ACCESSORIES

Model Item#	HP	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
EAGLE 100 28940	1/2	600	18	60	Full access to the control board and limit switches through the locking stainless steel door. Uses LED's to indicate all inputs and outputs. Heavy-duty worm gear reduction. Continuous operation.	
EAGLE 200 28945	1/2	1,000	20	60	**Commercial** Continuous cycles. Gate opening - can operate to either the left or right side. 2 wire Master/Slave, Stop-Reverse, ERD to re-open the gate. Safety Alarm and a No Pinch Arm. Heavy Duty Gearbox - extremely efficient & quiet. Receiver Terminal, Limit Switches and a Stainless Steel Access Door are among other specifications. DM = Dual 1/2 HP Continuous Duty AC Motor.	
EAGLE 200 28945-DM	1	1,000	20	60		
EAGLE 200 28946	1	2,000	35	45		

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

CHAMBERLAIN®

ELITE®

SLIDE GATE OPERATORS

24 VOLT ACCESSORIES

Model Item#	HP	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
SL-3000-UL 29100-10	1/2	800	37	60	• Uses LED's to indicate all inputs and output functions • Entrapment sensor shuts off the motor after it reaches the stall amp for three seconds • Built-in 120 VAC power receptacle, Hand crank for Emergency release • Uses #41 chain	
SL-3000-UL1 29104	1	2,000	37	35	**Same as above** Two 1/2 hp motors, both working together equalling one hp	
SL-3000-UL-DM 29113 Dual Motor	1/2	800	37	60	• Use in high cycle applications • Two 1/2 hp motors, one motor opens gate, one motor closes gate • Uses #41 chain	
DC-2000-SL 29100-PBS	Power back-up for SL-3000-UL • In case of a power failure, the gate will open automatically or gate will not open automatically until activated by a key switch, or other command.					

Note: 20 feet of chain provided with operator.
For cost of additional chain see page 14.

RSL 12V

12 VOLT ACCESSORIES

Model Item#	HP	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
29115-RSL12V	1/2	800	25	5	**Heavy Duty Residential** • Uses LEDs to indicate all inputs and out-put functions • ERD sensor • Coupling for smooth gate operation • Sealed 12-volt, 7 amp hour battery for long operational life • Alarm activates if stops by unwanted object • Optional Solar-3 solar panel	

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE.
SACRAMENTO, CA 95828-1009
1-916-381-4065

13111 DAHLIA ST.
FONTANA, CA 92337-6902
1-909-350-9040

8937 SAN FERNANDO RD.
SUN VALLEY, CA 91352-1410
1-818-504-3700

1265 N. CUYAMACA ST.
EL CAJON, CA 92020-1549
1-619-449-0333

10010 PORTLAND AVE.
TACOMA, WA 98445-3956
1-253-535-5500

SWING GATE OPERATORS

24 VOLT ACCESSORIES

CHAMBERLAIN® ELITE®

Model Item#	HP	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
CSW-2000-UL 29105	1/2	600	18	75	• Gate travels through the cycle at normal speed & comes to a stop slowly for more accurate gate cycle • The gate is easily disconnected by turning the release handle • **For uphill arm see # 29102**	
CSW-2000-UL-1 29112-10	1	1,000	20	60	**Same as Above** Two 1/2 hp motors, both working together equalling one hp	
CSW-200-UL-DM 29112 Dual Motor	1/2	800	18	75	• Use in high cycle applications • Two 1/2 hp motors, one motor opens gate, one motor closes gate	
DC-200-CSW 29105-PBS	Power back-up system for CSW-200-Uls					
29102	Q103 Arm for gate opening up hill, 15° max					

DC SWING GATE OPERATORS

12 / 24 VOLT ACCESSORIES

LiftMaster

Model Item#	DC Motor	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
LA500 IPKG	24V	800	16	10	• Mounts directly to hinge post • Soft start, Soft stop • Convenient key release opens gate manually • Battery backup will open gate 100-200 cycles during power failure • All metal gears drivetrain • Quick close, anti tailgate • 2 Programmable auxiliary relays • 2 Auxiliary AC power outlets • 90 degree opening in 17 seconds	
29157		600	18	10		
LA500-S 29163	Second arm with 40' cable and Junction box. For double gate installation.					
RSW12V 29118-RSW12V	12V	400	16	10	Light-Duty commercial, house, 15 unit. Super quiet. LEDs to indicate all inputs and output functions. Optional Solar-3 solar panel. Battery back-up system. Timer, alarm and other options.	

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

SWING OPERATORS

Model Item#	AC/DC Motor	Gate Weight lbs.	Gate Width ft.	Cycles Per Hr.	Features	BFC Sell
Single Gate PHOBOS L BT 30051-R9352451	24V	550	16' 5"	60	**Residentail use** • 120 V 60 Hz singe-phase • Electronic obstruction detection • Opening and closing magnetic limit switches • Optional battery back-up • 110° maximum opening angle 60 cycles per day	
Double Gate PHOBOS L BT 30051-R9352452	24V	550	16' 5"	60		
Battery Backup 30051-P125005	**24 VDC Battery backup system** • It includes a charger board that activates the batteries when power is off and charges the batteries when power is on.					

PRICE INCLUDES
- 1 or 2 Motors plus anchor brackets
- 1 FL 130 B photo eyes
- 2 MITTO2 12 volt transmitters
- Radio Receiver
- 1 Control board — Libra UL R
- Adjustable post brackets

OTHER PHOBOS L BT FEATURES
- Opening time — 20 seconds
- Absorbed power — 40 watts
- Limit switches — yes/magnetic
- Impact retention — over current
- Manual release — release key
- Built-in Reverse

SLIDE OPERATORS

Model Item#	AC/DC Motor	Gate Weight lbs.	Gate Width ft.	Cycles Per Day	Features	BFC Sell
Single Gate DEIMOS 30051-KR925228	24V	1,000 lbs.	45'	100	Easy keyed manual release in case of power failure Opening speed 12' in 15 seconds	
BFT Plastic Slide Track Section 30051-D221073	40" Long section plastic coated for quite operation, Bolts to gate with mounting holes					

SPECIAL FEATURES
- 1 FL 130 B photo eyes & a radio transmitter
- Rated up to 100 operating and closing cycles per day
- Adjustable slow down on both opening & closing for smooth operation
- Optional battery back-up system

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065

13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040

8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700

1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333

10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

GATE OPERATOR ACCESSORIES

BFT Maglock Kit

T-Box Wireless Keypad

Mitto 2 Transmitter

Model Item#	Features	BFC Sell
BFT Maglock Kit 30051-Maglock	• 1,200 lbs Holding force • Incl. striker plate, Z brackets, relay, and power supply	
T-Box Wireless Keypad 30051-P121019	• Backlit digital 433 mhz keypad with 10 channels and 100 combinations	
Mitto 2-Button Transmitter 30051-D111750	• Two button digital 433 mhz rolling code remote	
External Receiver 30051-D1136741	• Clonixe enternal receiver for garage door • External receiver for non BFT controls	

BT Kit Single

BT Kit Dual

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

GTO GATE OPERATOR ACCESSORIES, SEE PAGES 9 & 10

GTO/PRO®
PROFESSIONAL ACCESS SYSTEMS

Model Item#	Gate		Cycles Per Hr.	Comments	Features	BFC Sell
	Weight lbs.	Width ft.				
SL-2000B 29200-37	1,000	30	5	12 volt single gate operator for Residential and light Commercial use, Can provide 50 cycles without being charged, Internal locking brake	ELT listed UL 325, Fully systems capable, Solar power available, Adjustable auto close timer	
SL-2200B 29200-38	1,000	30	5	Second operator for Dual Gate, Installation in combination with PRO-SL2000B	**Same**	
GP-SL050 29200-GPSL050	1,800	32	Cont.	Special order, Residential series, Slide gate operator	For bi-parting dual gates, A second operator is required	

GP-SL050

GP-SL100

OTHER GP-SL FEATURES

- AC POWERED with inherent UPS *(Uninterrupted Power Supply)*
- Built-in battery back up system (batteries not included)
- Maintenance free brushless DC motors
- Audible & visual diagnostic indicators
- JOG Adjusting limits

***OPTIONS**

- Universal receiver (RB709U-NB)
- Transmitter (RB741, RB742)
- Loop detector (LOOPDT1) and pre-formed loops (L-SC-0408/L-PO-0612
- Photo beams (R4222)
- Estate wireless intercom/keyedpad (F4100MBC)

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE.
SACRAMENTO, CA 95828-1009
1-916-381-4065

13111 DAHLIA ST.
FONTANA, CA 92337-6902
1-909-350-9040

8937 SAN FERNANDO RD.
SUN VALLEY, CA 91352-1410
1-818-504-3700

1265 N. CUYAMACA ST.
EL CAJON, CA 92020-1549
1-619-449-0333

10010 PORTLAND AVE.
TACOMA, WA 98445-3956
1-253-535-5500

GTO GATE OPERATOR ACCESSORIES, SEE PAGES 9 & 10

GTO/PRO®

PROFESSIONAL ACCESS SYSTEMS

Model Item#	Gate		Cycles Per Hr.	Comments	Features	BFC Sell
	Weight lbs.	Width ft.				
PRO-SW2000XL 29200-SW20XL	500	16	11	Residential, Agricultural, Dual operator kit for dual gate operations	Durable housing, True soft start and stop operation	
PRO-SW2002XL 29200-SW22XL	500	16	11	Residential, Double gate operator	Includes Both arms & control box	
PRO-SW4000XL 29200-SW40XL	1,000	20	11	Same comments as SW3000XL with larger capacity	Same features as SW3000XL	
PRO-SW4200XL 29200-SW42XL	1,000	20	11	Second operator for use with SW4000XL on double gate installation	Includes mounting hardware and 50' cable with connectors	
GP-SW050 29200-GPSW050	650	16	Cont.	Special order, Residential series, Swing gate operator	Built-in battery back up system, Maintenance free brushless DC motors	

PRO-SW2000XL

PRO-SW4000XL

GP-SW050

GP-SW100

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE.
SACRAMENTO, CA 95828-1009
1-916-381-4065

13111 DAHLIA ST.
FONTANA, CA 92337-6902
1-909-350-9040

8937 SAN FERNANDO RD.
SUN VALLEY, CA 91352-1410
1-818-504-3700

1265 N. CUYAMACA ST.
EL CAJON, CA 92020-1549
1-619-449-0333

10010 PORTLAND AVE.
TACOMA, WA 98445-3956
1-253-535-5500

Item #	GTO/PRO Part #	Description	Unit Price
		CHARGING ACCESSORIES	
29203	FM122	OPERATOR Solar Panel, Complete, Use only with model PRO-1000, MM500 (Dual Gates & 18V system require 2 Panels)	
29203-05	FM123	10 Watt Solar-3 Panel - Use with SL 1000, SW3000 and SW4000	
29219	RB502	Transformer, 14 Volt AC - 720 MA	
29228-566	RB566	Transformer, 18 Volt AC - 1100 MA	
29228-570	RB570	Transformer, 18 Volt AC - 2200 MA	
29217	RB500	Battery, 12 Volt	
		OPENING ACCESSORIES	
29201	RB741	GTO Single Button Transmitter	
29201-05	RB742	GTO Dual Button Transmitter	
29201-25	RB743	GTO Triple Button Transmitter	
29210-709	RB709	Garage Door Adapter Receiver Kit	
29201-101	RB101	Door Bell Button	
29201-31	F310	Digital Keypad for Operator (wired or wireless)	
29291-140	FM140	Exit Wand, 12 Volt w/100' Cable	
29231-3100	F3100	F3100 Wireless Intercom Kit	
		LOCKING ACCESSORIES	
29202	FM144	Electric Lock, Closed Position	
29213	FM145	Bulldog Walk-Through Gate Lock	
29220-345	FM345	Master® Security Pin Lock for MM250 / 500 / 3000 / 4000	

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

Item #	GTO/PRO Part #	Description	Unit Price
		POWER & RECEIVER ACCESSORIES	
29226	AQ201-NB	Receiver Assembly w/Antenna and 10' Cable (grey)	
29226-10	AQ202-NB	Receiver Assembly w/Antenna and 20' Cable (grey)	
29209	RB509	Low Voltage Wire, direct burial 16 gauge stranded (price per foot) **• Do not splice - Sold only in cut lengths**	
		MOUNTING HARDWARE ACCESSORIES	
29229-347	347IH	Push-to-Open Bracket 11" (SW3000 / 3200 / 2500 / 2550 / 1500)	
29207-5030	FTMT 5030	Front mount w/pin Silver (SW3000 / 3200 / 2500 / 2550 / 1500/ MM500 / 502 / 350)	
29207-40	FTMT 40	Front mount w/pin Black (SW4000 / 4200)	
		MISCELLANEOUS PARTS	
29215-251	AQ251	Board for PRO-2000, SL1000, SL1000B-UL-325	
29207-20	R4211	Control Board for SW3000XL, 4000XL, 2000MM, 500 series	
29231-3101	F3101MBC	Indoor Base for Wireless Intercom	
29231-3110	F3110MBC	Outdoor Intercom / Keypad	
29206-04	FM313	Repair Kit, Front Mount PRO-1000 / 1200 / MM700 / MM702	
29206-05	FM314	Repair Kit, Rear Mount PRO-1000 / 1200 / MM700 / MM702	
29207-207	A207	Motor Housing, ABS Slide Operator SL1000, SL2000	

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

Item #	Description	Price Each

TRANSMITTERS AND RECEIVERS

Multi-Code & Lift Master Transmitters & Receivers

28397	Multi-Elmac Single Button Transmitter 3089
28375-10	Multi-Elmac Single Button Mini Key Chain Tranmitter 3070
28398	Multi-Elmac Double Button Transmitter 4120-01
28374	Multi-Elmac Double Button Mini Key Chain Transmitter 3083
28393	Multi-Elmac Four Button Transmitter 4140
28399	Multi-Elmac 1090 Standard Receiver 24 Volt
28394-50	Multi-Elmac 1099-50 Coaxial Receiver, 12/24 Volt
28378	Multi-Elmac 3028-50, 2-Channel Receiver, 12/24 Volt
28358	Multi-Elmac 4200 Wireless Key Pad

Delta 3 & MegaCode Transmitters & Receivers

28284	Linear Single Button Transmitter – Delta 3 DTD
28284-02	Linear Double Button Transmitter – Delta 3 DT-2A
28370-10	Linear GRD Receiver Delta 3 12/24 Volt
28370	Linear Delta 3 Radio Receiver
28290-10	Linear MT-IB Transmitter (Block Coded)
28290-05	Linear AP-4 Receiver Programmable MegaCode12-24 Volt AC/DC
28290-25	Linear SMDRG Receiver

Chamberlain

29181-371	371LM Lift Master Transmitter (315 mhz) 1 Button
29181-373	373LM Lift Master Transmitter 3 Button Remote
29181-377	377LM Lift Master Wireless Keypad (315 mhz)
29181-375	375LM Lift Universal 2 Button Transmitter

Antenna Kits

28290	Linear EXA 2000 Directional Antenna
28395	Multi-Elmac 1066 Antenna with 15' cable

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

Item #	Description	Price Each
	LOOP DETECTORS & PREFORMED LOOPS	
28298-SC	4' x 8' Pre-formed Loop	
28298-10SC	6' x 10' Pre-formed Loop	
28266-24	EMX D-Tek Loop Detector	
28278-50	Carsense 101 – 24 Volt Wand Detector, LD-11 DN Rail	
28278-15	Carsense 101 Probe w/50 ft lead	
29121-ACP	Elite ACP-17 Fire Release Box	
29103-ELD	Elite A-ELD Plug-in Loop Detector	
29164	LiftMaster Plug-in Loop Detector for LA500	
29112-20	Elite Omni Accessory Board O-Omni EXB	
29121-APOW	Transformer for Miracle I (M/S) 35 Volt	
29120-Q240	Mag Lock Solenoid for Miracle I	
28376-MG	MG 1300 Mag Lock	
	REVERSING EDGES & PHOTO EYES	
28267-048C	4' Remote Reversing Edge Specify MGR20 or MGS20	
28267-060C	5' Remote Reversing Edge Specify MGR20 or MGS20	
28267-072C	6' Remote Reversing Edge Specify MGR20 or MGS20	
28272	Multi-Code 3022-10 Safety Edge Transmitter	
28278-10	EMX IRB4X Photo Eye 12/24 Volt	
28278-20	EMX PC3 Photo Eye 24 Volt only	
29184-Retroab	Allen Bradley Reflector Photo Eye 12/24 Volt	
	AUTOMATIC TIMER	
28280	Universal 7-Day Programmable Timer 24 Volt AC	96.50

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

CHAINS & MASTER LINKS

Item#	Description	Weight	BFC Sell Per Box
28434-41	One box # 41 chain, 10 feet of chain per box	4 lbs.	
28433	One box # 40 chain, 10 feet of chain per box	5 lbs.	
			Price Each
28506	# 41 Master link		
28505	# 40 Master kink		

DOORKING — ENDLESS IDLER

Item#	Description	Price
29020-818	Model # 2600-818 Chain bracket	

• Size
All galvanized — 2” thickness overall, 7” x 4” x 3/8” steel plate with a 3/16” steel plate bent “U” shape welded on, along with an inserted 2 3/8” diameter hard “knotted” plastic wheel in the center.

• Comment
Endless idler assembly is used with gate operators installed in a rear drive configuration.

ELITE GATE-STOP

29120-PSA — Model A PSA
Aluminum die cast positive stop

• Size
6 3/8” x 4 1/2” x 2” aluminum gate stop with 2 rubber gaskets

• Comment
Light and efficient

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

EXTERIOR ACCESS & COMMUNICATION CONTROL DEVICES

Item #	Description	Price
29126-EL25	ELITE Entry Telephone System	

FEATURES

- Recessed, lighted, ADA-compliant keypad with help button assistance
- Entry codes can be time-restricted or established as one-time use only
- Auto sensor input may be set to automatically dial the residence when a vehicle approaches the property
- Do not disturb — Assignable on a tenant-by-tenant basis
- Automatic gate/door unlock schedule — Open or lock at set time periods
- Call forwarding allows tenant to grant or deny access from a remote location
- Enhanced security lock out all users for a programmable period of time if several invalid code attempts are made — Alarm can be set to activate if the gate or door is held open or forced open

ELITE EL25

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

Item #	Description	Price
28289-10	Linear RE-1 Telephone	
	Accessories	
28290-15	Linear MDKP Wireless Keypad	
28290-10	Linear MT-IB Transmitter (Block Coded)	

LINEAR RE-1

FEATURES

- Cast stainless steel for its inherent strength and striking appearance
- Control functions beyond the gate with two built in relays
- A MegaCode unit, its code selection cannot be changed in the field
- Auxiliary Keypads are available for a second drive entrance or additional gates
- Can be upgraded with a TV package, a black/white camera to ensure clear images
- RE-1 has provisions for emergency access and sensing with a loop detector
- Capacity for 100 entry codes and its ability to support up to 100 transmitters

Item #	Description	Price
29012	Model 1812-081	

FEATURES

- Allows a homeowner to utilize their telephone(s) as an intercom
- Call waiting assures that incoming phone calls are not missed
- Pinhole CCTV camera option provides a picture of the visitor
- Restricted entry codes
- Time clock, Internal 7 day programmable
- Capacity for 100 entry codes — 4 digits
- Other Features — Double/Standard Ring, Programming and more

Dimensions:

- Surface Mount — 6 1/8” h, 10” w, 5 1/4” d @ top, (3” d @ bottom)
- Flush Mount — 7 1/4” h, 11” w, (Face plate), 6 1/8” h, 10” w (3” d box)
- Flush Mount Box — 6 1/2” h, 10 1/4” w, 3 1/8” d (Rough in box requirements)
- Power: 24 volts AC, 60 Hz 1 degree, 20 V AC transformer provided

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

American Access Systems, Inc.

YOUR *PARTNER* IN ACCESS CONTROL

OUTSIDE — INTERCOM ENTRY SYSTEM

ADV-1000i

AMERICAN ACCESS SYSTEMS, INC.

DKI Digital intercom with key pad

28258-100.....

- Includes a speaker and call button
- Lighted key pad
- Dimensions: 7-1/4" wide, 4-1/8" high, 5-1/2" deep
- 100 different user codes. Open, latch open and unlatch
- Output: Normally open contacts
- 38,416, different 4-digit combinations
- Input power: 12-30 volts AC or DC
- Capacitor backup for memory retention in case of power failure

17-300

AAS Exterior Intercom (only)

28260-15 .....

INSIDE — INTERCOM SYSTEM

28360	Inside Intercom with door release bottom — (available in WHITE only)
28363	Standard Tek-Com Amplifier — (operates on 16 VAC-10 VA transformer)
28364	Plug-in type Transformer — (110 VAC/16 VAC-10 VA)

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

OUTSIDE STATIONS

DK Digital with housing

28259-100.....

ADV-1000

- 100 different user codes
- 38,416, different 4-digit combinations
- Heavy duty metal key pad
- Lighted key pad
- Capacitor back-up for memory retention in case of power failure
- Input power: 12 - 30 volts AC or DC
- Output: Normally open contacts, (Open, latch open and unlatch)
- Dimensions: 4-3/4" wide, 5-1/4" high, 5-1/2" deep

CARD READERS

Item #	Description	Qty	Price
	Controller with DKS Card Reader		
29004-125	1520-083 w/125 Memory		
29004-500	1520-083 w/500 Memory		
29004-1000	1520-083 w/1,000 Memory		
	DKS Cards		
29009-110	DKS 170 Clamshell type cards	50-149	
29009-110	DKS 170 Clamshell type cards	150 +	
	DKS Cards		
29009-111	DKS 80 ISO Compliant graphics cards	50-149	
29009-111	DKS 80 ISO Compliant graphics cards	150 +	

1520
Card Reader

1520
Controller

- **Door / Gate Control** — Designed for single door / gate stand-alone applications, Available as a complete stand-alone system with a built in proximity card reader, or as a single door access controller
- **Advanced Features** — Timed anti-pass back, Built-in clock/calendar & programming keypad, 4 time zones
- **Access Devices** — Proximity card readers, RF access control, Digital code, Most 26-bit Weigand devices
- **Capacity** — Available with 125, 500, or 1,000 card code memory or users

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500

DOORKING

Model 1200

Item #	Description	Price
28718	Model 1200 Transformer Box	
28715	Model 1400 Fire Box, Padlock	
28717	Model 1401 Fire Box, Knox	
28716	Model 1402 Postal Box	

Doorking's **1400** series ***fire and postal lock boxes*** allow fire department and postal service entry through secured gates and doors. The model **1200** transformer box is designed to power up to four plug-in accessory power transformers. The heavy duty housing is weather tight and built with a lockable hinged door making the **1200** ideal for all indoor or outdoor applications where accessory power transformer are required.

Model 1400

Model 1401

Model 1402

SPECIFICATIONS:

- **MODEL 1400**
  14 gauge steel box painted bright red. Front door hole for standard padlock which can be removed by the fire dept. (4-1/2" wide, 5-3/8" high, 3-3/8" deep).

- **MODEL 1401**
  14 gauge steel box painted bright red. Accepts Knox KS-2 key switch. (4-1/2" wide, 5-1/2" high. 5-1/2" deep).

- **MODEL 1402**
  14 gauge steel box painted postal blue. Accepts all standard postal locks. Postal lock can be installed to activate a switch to open the gate or door, or can be installed so that the postal switch opens the lock box. (5" wide, 6-1/2" high, 2-3/8" deep).

- **MODEL 1200**
  16 gauge steel box painted black. Enclosure has hinged and lockable front door. Can power up to 4 plug-in transformers. (11" wide, 6" high, 4" deep).

Shipping Weight

For Model # 1400, 1401, 1402 approx. 4 lbs., 1200 approx. 9 lbs.

ACCESSORIES:

Plug-in accessory power transformers are available in 12, 16, or 24 volts AC.

Installation Contractor is responsible for installation of proper safety devices in accordance with UL 325 and all applicable requirements and codes.

© 2012 BUILDERS FENCE CO., INC.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500